WAXIE Solution Station® 730 HP Disinfectant Cleaner



Item: 170059 3 L 4/cs

Secondary Label: 170059LBL each

APPLICATION

















FEATURES & BENEFITS

- One-step, Hydrogen Peroxide based disinfectant/ virucide cleaner and deodorizer
- Safe for most hard surfaces
- Kills SARS-Related Coronavirus 2 (SARS-CoV-2), the virus responsible for COVID-19, in one minute
- No rinsing required leaves no residue or film
- No Non-Phenyl Ethoxylates (NPE's)
- No Quaternary Ammonium Chlorides (Quats) eliminates quat binding, and safer for occupants
- No fragrances or dyes eliminates potential allergic outbreaks
- No Bleach or Peracetic Acid
- Meets all state VOC compliant regulations

PRODUCT REGISTRATIONS & CERTIFICATIONS

• EPA Registration No. 45745-11-14994

DESCRIPTION

A one-step, Hydrogen Peroxide based product for disinfection, cleaning and deodorizing. Cleans quickly by removing dirt, grime, mold and mildew stains, body oils and other common soils found in hospitals, nursing homes, office buildings, schools and colleges, and many other locations. For use on any hard, nonporous washable surface where disinfection is required. Contains Hydrogen Peroxide. Kills SARS-Related Coronavirus 2 (SARS-CoV-2), the virus responsible for COVID-19, in one minute.

SPECIFICATIONS

	AS SOLD	USE DILUTION
Appearance	Clear, colorless liquid	Clear, colorless liquid
Odor	Odorless	Odorless
pH	< 1	>2
VOC	82.89 g/L (8.29%)	1.28 g/L
Melting Point/Freezing Point	< 0°C (32°F)	Approx. 0°C (32°F)
Initial Boiling Point/Boiling Range	> 100°C (212°F)	Approx. 100°C (212°F)
Flash Point	N/A	N/A
Flammability	N/A	N/A
Relative Density (Density)	8.67	8.34
Solubility	Not determined	Not determined

ACTIVE INGREDIENT:

Hydrogen Peroxide	4.25%
OTHER INGREDIENTS:	95.75%
TOTAL:	100.00%

SHELF LIFE: All WAXIE brand chemical products have a guaranteed shelf life of up to one year after the date product was manufactured, when stored in ambient conditions. The actual manufacturing date is included in a date code on every product container.

DIRECTIONS FOR USE

For use with WAXIE Solution Station® dispensers.

Refer to the product label for complete usage directions.

DILUTION RATIO: 1:64 (2 oz/gl) of water in bottle fill mode. Each bottle makes 52 gallons. Each case makes 206 gallons.

SAFETY INFORMATION

PERSONAL PROTECTIVE EQUIPMENT: Concentrate C – Safety Glasses, Gloves & Protective Apron Ready-to-Use B – Safety Glasses & Gloves

Page 1 of 2



WAXIE Solution Station® 730 HP Disinfectant Cleaner

SAFETY INFORMATION (CONTINUED)

Read the Safety Data Sheet (SDS) and product label before use. The SDS and product label contain hazard warnings, precautionary statements and first aid procedures. SDS documents are available online at www.waxie.com or by calling (800) 995-4466.

For sale to, use and storage by service professionals only. Keep out of reach of children.

HOTLINE NUMBER: You may contact Chem-Tel at (800) 255-3924 for emergency medical treatment information.

DISINFECTION & SANITIZATION CLAIMS

At a 1:64 dilution (2 oz of product per gallon of water), in the presence of 200 ppm hard water, 5% blood serum load and 10 minute contact time, unless otherwise noted, this product kills the following on hard, nonporous inanimate surfaces:

BACTERICIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Escherichia coli 0157:H7 (E. coli)	660 PPM	10 Minutes	2 oz/gl
Pseudomonas aeruginosa (pseudomonas)	660 PPM	10 Minutes	2 oz/gl
Salmonella enterica (salmonella)	660 PPM	10 Minutes	2 oz/gl
Staphylococcus aureus (staph)	660 PPM	10 Minutes	2 oz/gl
Staphylococcus aureas, Methicillin resistant (MRSA)	660 PPM	10 Minutes	2 oz/gl
Staphylococcus aureas (CA-MRSA) USA300	660 PPM	10 Minutes	2 oz/gl
Staphylococcus aureas (CA-MRSA) USA400	660 PPM	10 Minutes	2 oz/gl
Staphylococcus epidermidis, Methicillin-resistant (MRSE)	660 PPM	10 Minutes	2 oz/gl
Streptococcus pneumoniae	660 PPM	10 Minutes	2 oz/gl
Streptococcus pneumoniae, Penicillin-resistant (PRSP)	660 PPM	10 Minutes	2 oz/gl

FUNGICIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Trichophyton interdigitale (Athlete's foot fungus)	2650 PPM	10 Minutes	8 oz/gl

NON-FOOD CONTACT SANITATION	Strength	Contact Time	Dilution (oz/gl)
Enterobacter aerogenes	330 PPM	5 Minutes	1 oz/gl
Salmonella enterica (salmonella)	330 PPM	5 Minutes	1 oz/gl

VIRUCIDAL ACTIVITY	Strength	Contact Time	Dilution (oz/gl)
Adenovirus Type 8	660 PPM	5 Minutes	2 oz/gl
Avian Influenza A (H7N9) Virus	660 PPM	1 Minute	2 oz/gl
Hepatitis B Virus (HBV) (Duck Hepatitis B Virus as the surrogate)	660 PPM	5 Minutes*	2 oz/gl
Hepatitis C Virus (HCV) (Bovine Viral Diarrhea Virus as the surrogate)	660 PPM	5 Minutes	2 oz/gl
Herpes simplex virus Type 1 (herpes)	660 PPM	5 Minutes	2 oz/gl
Herpes simplex virus Type 2 (herpes)	660 PPM	5 Minutes	2 oz/gl
HIV-1 (AIDS) Virus	660 PPM	1 Minute	2 oz/gl
H1N1 Influenza A Virus	660 PPM	1 Minute	2 oz/gl
Human Coronavirus	660 PPM	5 Minutes	2 oz/gl
Norovirus (Feline Calicivirus as the surrogate)	660 PPM	5 Minutes	2 oz/gl
Rhinovirus Type 37	660 PPM	5 Minutes	2 oz/gl
Rotavirus	660 PPM	5 Minutes	2 oz/gl
SARS-Related Coronavirus 2 (SARS-CoV-2) (the virus that causes COVID-19)**	600 PPM	1 Minute	2 oz/gl

^{* 5} minute contact time on pre-cleaned surfaces

^{**} SARS-Related Cornoavirus 2 claim was tested in 400 PPM

ANIMAL PREMISE VIRUCIDAL PERFORMANCE	Strength	Contact Time	Dilution (oz/gl)
Avian Influenza A (H7N9) Virus	660 PPM	1 Minute	2 oz/gl
Canine Parvovirus	2650 PPM	10 Minutes	8 oz/gl
Murine Norovirus (MNV-1)	1325 PPM	10 Minute	4 oz/gl



